SUBJECT INDEX

VOLUME 14 (1972)

Acriflavine, growth and mutation of yeast, 165
—, mutation of *col Ib* factors, 147
Adenine, in *V. faba*, 123
Age sensitivity, of human chromosomes to alkylating agents, 345
Agrobacterium tumefaciens, *N*-methyl-*N'*-nitro-*N*-nitrosoguanidine mutagenesis, relationship with crown-gall tumours, 277
^{3}N-Allylorotic acid, in phage T4, 1
2-Amino-4-chloro-6-methyl-pyrimidine, in phage T4, 1
2-Amino-5-chloropyrimidine, in phage T4, 1
6-Amino-2-mercaptopurine, in phage T4, 1
2- and 5-Aminoorotic acid, in phage T4, 1
2-Amino-5-β-oxyethyl-6-oxypyrimidine, in phage T4, 1
2-Amino-4-oxy-6 methylpyrimidine, in phage T4, 1
2-Amino-4-oxypyrimidine, in phage T4, 1
Aminopeptidases, mutant, in *Pisum sativum*, 397
2-Aminopurine, in phage T4, 1
—, in *S. typhimurium* and *S. cerevisiae*, 271
2-Aminopyrimidine, in phage T4, 1
1-β-D-Arabinofuranosylcytosine, in Chinese hamster cells, 130
Aspergillus nidulans, high mutagenic effect of phenethyl nitrogen mustards and ethyleneiminopyrimidines, 115
8-Azaguanine, in phage T4, 1
Aziridine, analogues, in *D. melanogaster*, 250
Barley, storage of ethyl methanesulphonate-treated seeds, 259
p-Benzoquinone, in *D. melanogaster*, 250
Benzyl-di-2-chloroethylamine, in *A. nidulans*, 115
Blood, peripheral, human, age sensitivity of chromosomes to alkylating agents, 345
5-Bromodeoxyuridine, in Chinese hamster cells, 130
—, in *D. melanogaster*, 101
—, followed by fluorescent light, in Chinese hamster cells, 237
—, in *S. typhimurium* and *S. cerevisiae*, 271
5-β-Bromoethyl-6-methyluracil, in phage T4, 1
5-β-Bromoethyl-2-oxy-6-methylpyrimidine, in phage T4, 1
5-Bromoorotic acid, in page T4, 1
5-Bromouracil, in phage T4, 1
Butazolidin®, in human lymphocyte cultures, 83
Caffeine, and UV irradiation in Chinese hamster cells, 431, 438
Chinese hamster, caffeine and UV light, 438
—, cell cultures, lead acetate in, 95
—, —, UV irradiation, 431.
—, fluorescent light following 5-bromodeoxyuridine, 237
—, mutagenicity of pyrimidine nucleoside analogues, 130
—, X-irradiation, 225
Chlamydomonas reinhardi, cell wall mutants, 381
Chloramphenicol, mutation of *col Ib* factors, 147
—, rescue of γ-irradiated *lon* and *exrA* mutants of *E. coli*, 13
2-Chloro-6-amino-9-methylpurine, in phage T4, 1
2-Chloro-6-dimethylamino-9-methylpurine, in phage T4, 1
2-Chloro-6-mercapto-9-methylpurine, in phage T4, 1
6-Chloro-9-methylpurine, in phage T4, 1
2-Chloro-6-oxy-9-methylpurine, in phage T4, 1
Chlorophyll mutation in *Triticum durum* plants from aged seeds, 118
5-Chloro-2,4,6-triethyleneiminopyrimidine, in *A. nidulans*, 115
6-Chlorpurine, in phage T4, 1
Chromosomes, sex, influence of, on radiosensitivity of *D. melanogaster*, 65
Chrysalids, diapausing, treated with pterins, injection in *D. melanogaster*, 207
Colchicine, in Tradescantia and *V. faba* root tips, 391
Colicinogenic factors, mutation of *col Ib*, 147
Cordycepin, in *V. faba*, 123
Cyclohexylamine, in C56 B1/Fe mice, 126
Cysteamine, action of, in Chinese hamster cells treated with fluorescent light and 5-bromodeoxyuridine, 237
Decay, ^{32}P, repair of -damaged phage λ in radiation-sensitive strains of *E. coli* K12, 265
Degranol, age sensitivity of human chromosomes, 345
2,6-Diaminopurine, in phage T4, 1
4,6-Dichloropyrimidine, in phage T4, 1
Diepoxybutane, in mutant *c3G* of *D. melanogaster*, 299
2,6-Diethyleneimino-4-chloropyrimidine, in *A. nidulans*, 115

N,N'-Diethyl-*N*-nitrosamine, in *E. coli*, 155
Diethyl sulphate, in *S. typhimurium* and *S. cerevisiae*, 271
1,3-Dimethyl-6-amino-5-bromouracil, in phage T4, 1
2-Dimethylamino-6-chloro-9-methylpurine, in phage T4, 1
2-Dimethylamino-6-oxy-9-methylpurine, in phage T4, 1
N,N'-Dimethyl-*N*-nitrosamine, in *E. coli*, 155
1,3-Dimethyl-2-oxy-6-amino-5-bromopyrimidine, in phage T4, 1
DNAase treatment, absence of chromosome breakage after, 443
Dose fractionation, of X-irradiation in *D. melanogaster*, 309
Drosophila melanogaster, effect of pH on *N*-alkylnitrosamide mutagenesis, 325
—, eggs, UV irradiation of polar cap cells, 43, 53, 193
—, gametogenic stages X-irradiated at different dose rates, 287
—, influence of sex chromosomes on radiosensitivity, 65
—, injection of diapausing chrysalids treated with pterins, 207
—, locus specificity of mutagens, 440
—, lucanthone and X-irradiation in germ cells, 315
—, morphogenic effects of halogenated thymidine analogues, 101
—, mutant *c3G*, X-irradiation and alkylating agents, 299
—, oocytes, aziridine analogues in, 250
—, spermatids, X-irradiation in nitrogen or oxygen, 185
—, X-irradiation, dose fractionation, 309
Eggs, polar cap cells, of *D. melanogaster*, UV irradiation, 43, 53, 193
Embichine, in *A. nidulans*, 115
Escherichia coli, chloramphenicol rescue of γ-irradiated *lon* and *exrA* mutants, 13
—, effect of pH and temperature on nitrosamide-induced mutation, 155
—, K12 repair of ^{32}P decay-damaged phage λ in radiation-sensitive strains, 265
—, mutation of *col Ib* factors, 147
—, mutation frequency decline for streptomycin-resistant mutations induced by UV light, 247
—, mutator gene, synergistic effect on mutagenisis by UV and alkylating agents, 23
—, recombinants from crosses with recipients deficient in ATP-dependent exonuclease activity, 375
—, UV killing and photodynamic killing, 447
8-Ethoxycaffeine, in *V. faba*, 123
p-Ethoxyphenethyl-di-2-chloroethylamine, in *A. nidulans*, 115
Ethyleneimine, in *A. nidulans*, 115
Ethyleneiminopyrimidines, in *A. nidulans*, 115
2-Ethyleneimino-5,6,7,8-tetra-hydronaphthoquinone-1,4, in *D. melanogaster*, 250
Ethyl methanesulphonate, cell wall mutants of *C. reinhardi*, 381
Ethyl methanesulphonate, (*continued*)
—, effect of *E. coli* mutator gene, 23
—, locus specificity in *D. melanogaster*, 440
—, in mutant *c3G* of *D. melanogaster*, 299
—, in *S. typhimurium* and *S. cerevisiae*, 271
—, treated barley seeds, storage of, 259
N-Ethyl-*N'*-nitro-*N*-nitrosoguanidine, in *S. typhimurium* and *S. cerevisiae*, 271
Factor R, effect of, on resistance of *S. typhimurium* to radiation and chemicals, 450
Fluorescent light, following 5-bromodeoxyuridine in Chinese hamster cells, 237
5-Fluoro-2'-deoxyuridine, in Chinese hamster cells, 130
5-Fluorouracil, and 5-bromodeoxyuridine, in *D. melanogaster*, 101
Fungicide, mercurial, Panogen 15, in Tradescantia and *V. faba* root tips, 391
Gametogenesis, X-irradiation in *D. melanogaster*, 287
Germ cells, of *D. melanogaster*, lucanthone and X-irradiation, 315
Glutamate, action of acriflavine on growth and mutation of yeast, 165
Haemophilus influenzae, nitrosoguanidine-treated DNA, 137
Helianthus annuus, crown-gall tumour inducing ability on, and *N*-methyl-*N'*-nitro-*N*-nitrosoguanidine in *A. tumefaciens*, 277
Human, chromosomes, age sensitivity to alkylating agents, 345
—, diploid cell strains, HG–PRT-deficient mutants from, 355
—, leucocytes, UV light, γ-rays and chemical mutagens, 413
—, lymphocyte cultures, action of phenylbutazone, 83
—, X-irradiation, 225
Hycanthone ethanesulphate, in *S. typhimurium* and *S. cerevisiae*, 271
Hycanthone methanesulphonate, in mammalian cells, 262
Hydrazine, locus specificity in *D. melanogaster*, 440
Hydroxylamine, locus specificity in *D. melanogaster*, 440
—, in *S. typhimurium* and *S. cerevisiae*, 271,
Hydroxyurea, in Chinese hamster cells, 130
ICR-170, in *S. typhimurium* and *S. cerevisiae*, 271
ICR-191, in *S. typhimurium* and *S. cerevisiae*, 271
Irradiation, γ, in *E. coli lon* and *exrA* mutants, chloramphenicol rescue, 13
—, fluorescent light, following 5-bromodeoxyuridine in Chinese hamster cells, 237
—, sensitive strains of *E. coli* K12, repair of ^{32}P decay-damaged phage λ in, 265
—, UV, and caffeine in Chinese hamster cells, 438
—, —, cell wall mutants of *C. reinhardi*, 381
—, —, in Chinese hamster cells, 431
—, —, in *E. coli*, mutation frequency decline for streptomycin-resistant mutations induced by, 247

Irradiation, UV, (*continued*)
—, —, effect of *E. coli* mutator gene, 23
—, —, killing in mutants of *E. coli*, 447
—, —, photochemistry of DNA in mouse spermatozoa, 133
—, —, of polar cap cells of *D. melanogaster* eggs, 43, 53, 193
—, —, protein and RNA synthesis in radiation-sensitive strains of yeast, 112
—, UV and γ, effect of an R factor in *S. typhimurium*, 450
—, —, in human leucocytes, 413
—, X, in *D. melanogaster*, dose fractionation, 309
—, —, —, gametogenic stages, 287
—, —, —, mutant *c3G*, 299
—, —, —, spermatids in nitrogen or oxygen, 185
—, —, influence of sex chromosomes on radiosensitivity of *D. melanogaster*, 65
—, —, locus specificity in *D. melanogaster*, 440
—, —, and lucanthone in *D. melanogaster* germ cells, 315
—, —, in mouse populations, 331
—, —, in primary roots of *V. faba*, 33
—, —, repair–replication in mammalian cells, 225
Isocytosine, in phage T4, 1
Lead acetate, in Chinese hamster cell cultures, 95
Leucocytes, human, UV light, γ-rays and chemical mutagens, 413
Liquid holding, influence on induction of mutants by UV light in Chinese hamster cells, 431
Locus specificity, of mutagens in *D. melanogaster*, 440
Lucanthone, and X-irradiation in *D. melanogaster* germ cells, 315
Lymphocyte, cultures, human, action of phenylbutazone, 83
Mammals, cells, hycanthone methanesulphonate, 262
—, —, repair–replication after X-irradiation, 225
—, diploid cell strains, HG–PRT-deficient mutants from, 355
2-Mercaptoethylamine, action of, in Chinese hamster cells treated with fluorescent light and 5-bromodeoxyuridine, 237
6-Mercapto-9-methylpurine, in phage T4, 1
6-Mercaptopurine, in phage T4, 1
Metabolic cooperation, in selection of HG–PRT-deficient mutants from diploid mammalian cell strains, 355
Methotrexate, in mouse ascites tumours, 405
2,5-(Methoxy-ethoxy)-3,6-bis-ethyleneimino-1,4-benzoquinone, in *D. melanogaster*, 250
1-Methyl-6-amino-5-bromouracil, in phage T4, 1
Methyl methanesulphonate, effect of *E. coli* mutator gene, 23
—, effect of an R factor on resistance in *S. typhimurium*, 450
—, in human leucocytes, 413
—, in *S. typhimurium* and *S. cerevisiae*, 271
N-Methyl-*N'*-nitro-*N*-nitrosoguanidine, in *A. tumefaciens*, relationship with crown-gall tumours, 277
—, cell wall mutants in *C. reinhardi*, 381
—, in *E. coli*, 155
—, effect of an R factor on resistance in *S. typhimurium* 450
—, in *S. typhimurium* and *S. cerevisiae*, 271
—, treated DNA, mutations in *H. influenzae*, 137
2-Methylorotic acid, in phage T4, 1
1-Methyl-2-oxy-5-bromo-6-aminopyrimidine, in phage T4, 1
2-Methyl-5-β-oxyethyl-6-methylpyrimidine, in phage T4, 1
2-Methyl-4-oxy-5-β-oxyethylpyrimidine, in phage T4, 1
5-Methyluracil, in phage T4, 1
Methylurea, in *E. coli*, 155
Miracil D, and X-irradiation, in *D. melanogaster* germ cells, 315
Mouse, ascites tumours, methotrexate in, 405
—, C57 B1/Fe, effects of cyclohexylamine, 126
—, diploid cell strains, HG–PRT-deficient mutants from, 355
—, house, natural mutation rates, 254
—, mutagenicity of hycanthone, 262
—, spermatozoa, UV photochemistry of DNA, 133
—, X-irradiated populations, 331
—, X-irradiation, 225
Mutagen, acriflavine, growth and mutation of yeast, 165
—, —, mutation of *col Ib* factors, 147
—, adenine, in *V. faba*, 123
—, ^{3}*N*-allylorotic acid, in phage T4, 1
—, 2-amino-4-chloro-6-methylpyrimidine, in phage T4, 1
—, 2-amino-5-chloropyrimidine, in phage T4, 1
—, 6-amino-2-mercaptopurine, in phage T4, 1
—, 2- and 5-aminoorotic acid, in phage T4, 1
—, 2-amino-5-β-oxyethyl-6-oxypyrimidine, in phage T4, 1
—, 2-amino-4-oxy-6-methylpyrimidine, in phage T4, 1
—, 2-amino-4-oxypyrimidine, in phage T4, 1
—, 2-aminopurine, in phage T4, 1
—, —, in *S. typhimurium* and *S. cerevisiae*, 271
—, 2-aminopyrimidine, in phage T4, 1
—, 1-β-D-arabinofuranosylcytosine, in Chinese hamster cells, 130
— 8-azaguanine, in phage T4, 1
—, aziridine analogues, in *D. melanogaster*, 250
—, *p*-benzoquinone, in *D. melanogaster*, 250
—, benzyl-di-2-chloroethylamine, in *A. nidulans*, 115
—, 5-bromodeoxyuridine, in Chinese hamster cells, 130
—, —, in *D. melanogaster*, 101
—, —, followed by fluorescent light, in Chinese hamster cells, 237
—, —, in *S. typhimurium* and *S. cerevisiae*, 271
—, 5-β-bromoethyl-6-methyluracil, in T4, 1
—, 5-β-bromoethyl-2-oxy-6-methylpyrimidine, in phage T4, 1

Mutagen, (*continued*)
—, 5-bromoorotic acid, in phage T4, 1
—, 5-bromouracil, in phage T4, 1
—, Butazolidin®, in human lymphocyte cultures, 83
—, caffeine, and UV irradiation in Chinese hamster cells, 431, 438
—, chloramphenicol, mutation of *col Ib* factors, 147
—, —, rescue of γ-irradiated *lon* and *exrA* mutants of *E. coli*, 13
—, 2-chloro-6-amino-9-methylpurine, in phage T4, 1
—, 2-chloro-6-dimethyl-amino-9-methylpurine, in phage T4, 1
—, 2-chloro-6-mercapto-9-methylpurine, in phage T4, 1
—, 6-chloro-9-methylpurine, in phage T4, 1
—, 2-chloro-6-oxy-9-methylpurine, in phage T4, 1
—, 5-chloro-2,4,6-triethyleneiminopyrimidine, in *A. nidulans*, 115
—, 6-chlorpurine, in phage T4, 1
—, colchicine, in Tradescantia and *V. faba* root tips, 391
—, cordycepin, in *V. faba*, 123
—, cyclohexylamine, in C57 B1/Fe mice, 126
—, degranol, age sensitivity of human chromosomes, 345
—, 2,6-diaminopurine, in phage T4, 1
—, 4,6-dicholoropyrimidine, in phage T4, 1
—, diepoxybutane, in mutant *c3G* of *D. melanogaster*, 299
—, 2,6-diethyleneimino-4-chloropyrimidine, in *A. nidulans*, 115
—, *N,N'*-diethyl-*N*-nitrosamine, in *E. coli*, 155
—, diethyl sulphate, in *S. typhimurium* and *S. cerevisiae*, 271
—, 1,3-dimethyl-6-amino-5-bromouracil, in phage T4, 1
—, 2-dimethylamino-6-chloro-9-methylpurine, in phage T4, 1
—, 2-dimethylamino-6-oxy-9-methylpurine, in phage T4, 1
—, *N,N'*-dimethyl-*N*-nitrosamine, in *E. coli*, 155
—, 1,3-dimethyl-2-oxy-6-amino-5-bromopyrimidine, in phage T4, 1
—, embichine, in *A. nidulans*, 115
—, 8-ethoxycaffeine, in *V. faba*, 123
—, *p*-ethoxyphenetyl-di-2-chloroethylamine, in *A. nidulans*, 115
—, ethyleneimine, in *A, nidulans*, 115
—, ethyleneiminopyrimidines, in *A. nidulans*, 115
—, 2-ethyleneimino-5,6,7,8-tetrahydronaphthoquinone-1,4, in *D. melanogaster*, 250
—, ethyl methanesulphonate, cell wall mutants of *C. reinhardi*, 381
—, —, effect of *E. coli* mutator gene, 23
—, —, locus specificity in *D. melanogaster*, 440
—, —, in mutant *c3G* of *D. melanogaster*, 299
—, —, in *S. typhimurium* and *S. cerevisiae*, 271
—, —, treated barley seeds, storage of, 259
—, *N*-ethyl-*N'*-nitro-*N*-nitrosoguanidine, in *S. typhimurium* and *S. cerevisiae*, 271
Mutagen, (*continued*)
—, 5-fluoro-2'-deoxyuridine, in Chinese hamster cells, 130
—, 5-fluorouracil, in *D. melanogaster*, 101
—, hycanthone ethanesulphate, in *S. typhimurium* and *S. cerevisiae*, 271
—, hycanthone methanesulphonate, in mammalian cells, 262
—, hydrazine, locus specificity in *D. melanogaster*, 440
—, hydroxylamine, locus specificity in *D. melanogaster*, 440
—, —, in *S. typhimurium* and *S. cerevisiae*, 271
—, hydroxyurea, in Chinese hamster cells, 130
—, ICR-170, in *S. typhimurium* and *S. cerevisiae*, 271
—, ICR-191, in *S. typhimurium* and *S. cerevisiae*, 271
—, isocytosine, in phage T4, 1
—, lead acetate, in Chinese hamster cell cultures, 95
—, lucanthone, and X-irradiation in *D. melanogaster* germ cells, 315
—, 6-mercapto-9-methylpurine, in phage T4, 1
—, 6-mercaptopurine, in phage T4, 1
—, methotrexate, in mouse ascites tumours, 405
—, 2,5-(methoxy-ethoxy)-3,6-bis-ethyleneimino-1,4-benzoquinone, in *D. melanogaster*, 250
—, 1-methyl-6-amino-5-bromouracil, in phage T4, 1
—, methyl methanesulphonate, effect of *E. coli* mutator gene, 23
—, —, effect of an R factor on resistance in *S. typhimurium*, 450
—, —, in human leucocytes, 413
—, —, in *S. typhimurium* and *S. cerevisiae*, 271
—, *N*-methyl-*N'*-nitro-*N*-nitrosoguanidine, in *A. tumefaciens*, relationship with crown-gall tumours, 277
—, —, cell wall mutants in *C. reinhardi*, 381
—, —, in *E. coli*, 155
—, —, effect of an R factor on resistance in *S. typhimurium*, 450
—, —, in *S. typhimurium* and *S. cerevisiae*, 271
—, —, treated DNA, mutations, in *H. influenzae*, 137
—, 2-methylorotic acid, in phage T4, 1
—, 1-methyl-2-oxy-5-bromo-6-aminopyrimidine, in phage T4, 1
—, 2-methyl-5-β-oxyethyl-6-methylpyrimidine in phage T4, 1
—, 2-methyl-4-oxy-5-β-oxyethylpyrimidine, in phage T4, 1
—, 5-methyluracil, in phage T4, 1
—, methylurea, in *E. coli*, 155
—, miracil D, and X-irradiation, in *D. melanogaster* germ cells, 315
—, nitrogen mustard, in human leucocytes, 413
—, —, in *S. typhimurium* and *S. cerevisiae*, 271
—, nitrosamide, in *E. coli*, effect of pH and temperature, 155
—, *N*-nitroso-*N*-ethylurea, in *D. melanogaster*, 325
—, —, in *E. coli*, 155

Mutagen, (*continued*)
—, *N*-nitroso-*N*-methylurea, in *E. coli*, 155
—, —, in *S. typhimurium* and *S. cerevisiae*, 271
—, nitrosomethylurethane, in *S. typhimurium* and *S. cerevisiae*, 271
—, *N*-nitrosomorpholine, in *E. coli*, 155
—, orotic acid, in phage T4, 1
—, 4-oxy-6-aminopyrimidine, in phage T4, 1
—, Panogen 15, in Tradescantia and *V. faba* root tips, 391
—, phenethyl-di-2-chloroethylamine, in *A. nidulans*, 115
—, phenethyl nitrogen mustards, in *A. nidulans*, 115
—, phenylbutazone, in human lymphocyte cultures, dependent on protein concentration of medium, 83
—, proflavine, in *S. typhimurium* and *S. cerevisiae*, 271
—, β-propiolactone, in *S. typhimurium* and *S. cerevisiae*, 271
—, pyrimidine nucleoside analogues, in Chinese hamster cells, 130
—, quinacrine, in *S. typhimurium* and *S. cerevisiae*, 271
—, sodium nitrite, in *S. typhimurium* and *S. cerevisiae*, 271
—, tetraethyleneimino-1,4-benzoquinone, in *D. melanogaster*, 250
—, thio-tepa, age sensitivity of human chromosomes, 345
—, thymidine analogues, in *D. melanogaster*, 101
—, thymine, in phage T4, 1
—, Trenimon, in *D. melanogaster*, 250
—, 2,4,6-triethyleneiminopyrimidine, in *A. nidulans*, 115
—, triethylenemelamine, in mouse, 126.
—, —, in *S. typhimurium* and *S. cerevisiae*, 271
—, 5-trifluoromethyl-2′-deoxyuridine, in Chinese hamster cells, 130
—, 1,3,4-trimethyluracil, in phage T4, 1
Mutant, cell-wall, of *C. reinhardi*, 381
—, *c3G*, of *D. melanogaster*, X-irradiation and alkylating agents, 299
—, HG–PRT-deficient, from diploid mammalian cell strains, 355
—, *lon* and *exrA*, of *E. coli*, γ-irradiated, chloramphenicol rescue, 13
Mutation frequency decline, for streptomycin-resistant mutations induced by UV light in *E. coli*, 247
Mutation rates, natural, in house mouse, 254
Nitrogen, X-irradiation of *D. melanogaster* spermatids in, 185
Nitrogen mustard, in human leucocytes, 413
—, in *S. typhimurium* and *S. cerevisiae*, 271,
Nitrosamide, in *E. coli*, effect of pH and temperature, 155
N-nitroso-*N*-ethylurea, in *D. melanogaster*, 325
—, in *E. coli*, 155
—, in *S. typhimurium* and *S. cerevisiae*, 271
N-Nitroso-*N*-methylurea, in *E. coli*, 155
Nitrosomethylurethane, in *S. typhimurium* and *S. cerevisiae*, 271
N-Nitrosomorpholine, in *E. coli*, 155
Oocytes, of *D. melanogaster*, aziridine analogues in, 250
Orotic acid, in phage T4, 1
4-Oxy-6-aminopyrimidine, in phage T4, 1
Oxygen, X-irradiation of *D. melanogaster* spermatids in, 185
Panogen 15, in Tradescantia and *V. faba* root tips, 391
pH, effect of, on *N*-alkyl-nitrosamide mutagenesis in *D. melanogaster*, 325
—, —, on nitrosamide-induced mutation in *E. coli*, 155
Phage, λ, ^{32}P decay-damaged, repair in various radiation-sensitive strains of *E. coli* K12, 265
—, T4, mutagenic effects of new purine and pyrimidine analogues, 1
Phenethyl-di-2-chloroethylamine, in *A. nidulans*, 115
Phenethyl nitrogen mustards, in *A. nidulans*, 115
Phenylbutazone, in human lymphocyte cultures, dependent on protein concentration of medium, 83
Photodynamic killing, in mutants of *E. coli*, 447
Pieris brassicae, diapausing chrysalids of, treated with pterins, injection in *D. melanogaster*, 207
Pisum sativum, mutant aminopeptidases, 397
Proflavine, in *S. typhimurium* and *S. cerevisiae*, 271
β-Propiolactone, in *S. typhimurium* and *S. cerevisiae*, 271
Pterins, diapausing chrysalids treated with, injection in *D. melanogaster*, 207
Pyrimidine nucleoside analogues, in Chinese hamster cells, 130
Quinacrine, in *S. typhimurium* and *S. cerevisiae*, 271
Rat kangaroo, Tasmanian, absence of chromosome breakage after DNAase treatment in tissue culture cells, 443
Root, primary, of *V. faba*, X-irradiation, 33
—, tip, Panogen 15 in Tradescantia and *V. faba*, 391
Saccharomyces cerevisiae, and *S. typhimurium* mutants, comparison of reversion patterns using *in vitro* plate tests, 271
Saccharomyces ellipsoideus, action of acriflavine on growth and mutation, 165
Saccharomyces pombe, protein and RNA synthesis in radiation-sensitive strains, 112
Salmonella typhimurium, effect of an R factor on resistance to radiation and chemical treatment, 450
—, mutation of *col Ib* factors, 147
—, and *S. cerevisiae* mutants, comparison of reversion patterns using *in vitro* plate tests, 271
Schistosomiasis, mutagenicity of hycanthone in mammalian cells, 262
Seeds, aged, of *Triticum durum*, chlorophyll mutation and survival, 118
Sodium nitrite, in *S. typhimurium* and *S. cerevisiae*, 271

Spermatids, *D. melanogaster*, X-irradiation in nitrogen or oxygen, 185
Spermatozoa, mouse, UV photochemistry of DNA, 133
Spontaneous mutation rate, a theoretical study, 365
Storage, of ethyl methanesulphonate-treated barley seeds, 259
Temperature, effect of, on mutation of *col Ib* factors, 147
—, —, on nitrosamide-induced mutation in *E. coli*, 155
Tetraethyleneimino-1,4-benzoquinone, in *D. melanogaster*, 250
Thio-tepa, age sensitivity of human chromosomes, 345
Thymidine analogues, in *D. melanogaster*, 101
Thymine, in phage T4, 1
Tradescantia, root tips, effects of Panogen 15, 391
Trenimon, in *D. melanogaster*, 250
2,4,6-Triethyleneiminopyrimidine, in *A. nidulans*, 115
Triethylenemelamine, in mouse, 126
—, in *S. typhimurium* and *S. cerevisiae*, 271
5-Trifluoromethyl-2′-deoxyuridine, in Chinese hamster cells, 130
1,3,4-Trimethyluracil, in phage T4, 1
Triticum durum, survival and chlorophyll mutation in plants raised from aged seeds, 118
Tumour, crown-gall, *N*-methyl-*N*′-nitro-*N*-nitrosoguanidine in *A. tumefaciens*, relationship to, 277
—, injection in *D. melanogaster* of diapausing chrysalids treated with pterins, 207
—, mouse ascites, methotrexate in, 405
Vicia faba, adenine and 8-ethoxycaffeine, 123
—, root tips, effects of Panogen 15, 391.
—, X-irradiation in primary roots, 33
Yeast, action of acriflavine on growth and mutation 165
—, protein and RNA synthesis in radiation-sensitive strains, 112